Service Level Agreements Subcategory 1.2 – MPLS, VPN and Converged VoIP

TROUBLE TICKET STOP CLOCK CONDITIONS

The following conditions shall be allowed to stop the trouble ticket outage duration for CALNET 3 Contractor trouble tickets. The Contractor shall document the trouble ticket outage duration using the Stop Clock Condition (SCC) listed in Table 1.2.9.7 and include start and stop time stamps in the Contractor's Trouble Ticket Reporting Tool for each application of a SCC. The Contractor shall not consider "cleared while testing" or "no trouble found" as a SCC unless cause is ultimately determined to have been the fault of a third party outside the control of the Contractor.

Stop Clock Conditions are limited to the conditions listed in Table 1.2.9.7.

Table 1.2.9.7 – S	Stop Clock	Conditions	(SCC)
		oonandono	

#	Stop Clock Condition (SCC)	SCC Definition
1	END-USER REQUEST	Periods when a restoration or testing effort is delayed at the specific request of the End-User. The SCC shall exist during the period the Contractor was delayed, provided that the End-User's request is documented and time stamped in the Contractor's trouble ticket or order system and shows efforts are made to contact the End-User during the applicable Stop Clock period.
2	OBSERVATION	Time after a service has been restored but End-User request ticket is kept open for observation. If the service is later determined by the End-User to not have been restored, the Stop Clock shall continue until the time the End-User notifies the Contractor that the Service has not been restored.
3	END-USER NOT AVAILABLE	Time after a service has been restored but End-User is not available to verify that the Service is working. If the service is later determined by the End-User to not have been restored, the Stop Clock shall apply only for the time period between Contractor's reasonable attempt to notify the End-User that Contractor believes the service has been restored and the time the End-User notifies the Contractor that the Service has not been restored.
4	WIRING	Restoration cannot be achieved because the problem has been isolated to wiring that is not maintained by Contractor or any of its Subcontractors or Affiliates. If it is later determined the wiring is not the cause of failure, the SCC shall not apply.
5	POWER	Trouble caused by a power problem outside of the responsibility of the Contractor. Power is a stop clock condition for a Customer owned LAN switch and router, but not a stop clock condition for a Contractor owned router when used for Converged VoIP.
6	FACILITIES	Lack of building entrance Facilities or conduit structure that are the End-User's responsibility to provide.



#	Stop Clock Condition (SCC)	SCC Definition
7	ACCESS	 Limited access or contact with End-User provided the Contractor documents in the trouble ticket several efforts to contact End-User for the following: a. Access necessary to correct the problem is not available because access has not been arranged by site contact or End-User representative; b. Site contact refuses access to technician who displays proper identification; c. Customer provides incorrect site contact information which prevents access, provided that Contractor takes reasonable steps to notify End-User of the improper contact information; and, d. Site has limited hours of business that directly impacts the Contractor's ability to resolve the problem. If it is determined later that the cause of the problem was not at the site in question, then the Access SCC shall not apply.
8	STAFF	Any problem or delay to the extent caused by End-User's staff that prevents or delays Contractor's resolution of the problem. In such event, Contractor shall make a timely request to End-User staff to correct the problem or delay and document in trouble ticket.
9	APPLICATION	End-User software applications that interfere with repair of the trouble.
10	CPE	Repair/replacement of CPE not provided by Contractor if the problem has been isolated to the CPE. If determined later that the CPE was not the cause of the service outage, the CPE SCC will not apply.
11	NO RESPONSE	Failure of the trouble ticket originator or responsible End-User to return a call from Contractor's technician for on-line close-out of trouble tickets after the Service has been restored as long as Contractor can provide documentation in the trouble ticket substantiating the communication from Contractor's technician.
12	MAINTENANCE	An outage directly related to any properly performed scheduled maintenance or upgrade scheduled for CALNET 3 service. Any such stop clock condition shall not extend beyond the scheduled period of the maintenance or upgrade. SLAs shall apply for any maintenance caused outage beyond the scheduled maintenance period. Outages occurring during a scheduled maintenance or upgrade period and not caused by the scheduled maintenance shall not be subject to the Maintenance SCC.
13	THIRD PARTY	Any problem or delay caused by a third party not under the control of Contractor, not preventable by Contractor, including, at a minimum, cable cuts not caused by the Contractor. Contractor's Affiliates and Subcontractors shall be deemed to be under the control of Contractor with respect to the equipment, services, or Facilities to be provided under this Contract.



#	Stop Clock Condition (SCC)	SCC Definition
14	FORCE MAJEURE	Force Majeure events, as defined in the terms and conditions of the PMAC General Provisions - Telecommunications, Section 28 (Force Majeure).



TECHNICAL SERVICE LEVEL AGREEMENTS

The Contractor shall provide and manage the following Technical SLAs.

1.2.9.8.1 Availability (M-S)

SLA Name: Availability

Definition: The percentage of time a CALNET service is fully functional and available for use each calendar month.


Measurement Process: The monthly Availability Percentage shall be based on the accumulative total of all Unavailable Time derived from all trouble tickets closed, for the affected Circuit ID (as defined in the Data Dictionary), per calendar month. The monthly Availability Percentage equals the Scheduled Uptime per month less Unavailable Time per month divided by Scheduled Uptime per month multiplied by 100. Scheduled Uptime is 24 x number of days in the month. All Unavailable Time applied to other SLAs, which results in a remedy, will be excluded from the monthly accumulated total.

For VSAT service only:

- The measurement of Availability is between the VSAT Router at customer premise and the router at Verizon Teleport
- VSAT services using .<1.2 Meter Antenna are excluded from this SLA

• The Availability measurement will begin 24 hours after the opening of a trouble ticket for Portable Quick/Auto Deploy and VSAT Fixed Router/Modem that are located outside 150 driving miles from the service cities (Anaheim, Costa Mesa, Fallbrook, Folsom, Lakewood, Lodi, Long Beach, Modesto, Ontario, Redding, Riverside, Rocklin, Sacramento, Santa Ynez, Stockton, Suisun City, Torrance)

Objective(s) A applies to the	Objective(s) A	:			
 following Services: Converged VoIP Service (1.2.3.2) Converged VoIP Voice 		Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B, S or P)
Mail Service (1.2.3.5)Audio Conferencing	Converged VoIP Service	≥ 98.7%	≥ 99.2%	≥ 99.5%	Р
(1.2.4) • SIP Trunk	Converged VoIP Voice Mail Service	≥ 98.9%	≥ 99.2%	≥ 99.5%	Р
Secure Gateway	SIP Trunk	≥ 98.9%	≥ 99.2%	≥ 99.5%	Р
 Managed Application Assurance (MAAS) 	Secure Gateway			≥ 99.5%	Р
Managed WAN	MAAS			≥ 99.5%	Р
(MWAN)	MWAN			≥ 99.5%	Р
Managed LAN (MLAN)	MLAN			≥ 99.5%	Р
Managed Video Conferencing	Managed Video Conferencing			≥ 99.5%	Р





Objective(s) following Se	B applies to the rvice(s):	Objective(s) The objectives appear in rang	will be bas	sed on the t	transport ty	ype. The speeds
1.2.2. throug	 MPLS (1.2.2) (Includes 1.2.2.8.1 through1.2.2.8.7) 		Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B, S or P)
VSAT		DS1	≥ 99.2%	≥ 99.5%	≥ 99.8%	Р
		DS3	≥ 99.7%	≥ 99.8%	≥ 99.9%	Р
		OCx	≥ 99.7%	≥ 99.8%	≥ 99.9%	Р
		Ethernet	≥ 99.2%	≥ 99.5%	≥ 99.8%	Р
		VSAT	99.7%			
	Per Occurrence: N/A					
Rights and	Monthly Aggregated Measurements: First month the service fails to meet the committed SLA objective shall result in a 15 percent rebate of the TMRC and two (2) Business Days of the ADUC, when usage applies.					
Remedies	The second consecutive month the service fails to meet the committed SLA objective shall result in a 30 percent rebate of TMRC and two (2) Business Days of the ADUC, when usage applies.					
	Each additional consecutive month the service fails to meet the Committed SLA objective shall result in a 50 percent rebate of the TMRC, and two (2) Business Days of the ADUC, when usage applies.					



1.2.9.8.2 Catastrophic Outage 1 (CAT 1) (M-S)

SLA Name: Catastrophic Outage 1 (CAT 1)			
SLA Name. Catastrophic Outage 1 (CAT 1)			
 Definition: The total loss of service at a single address based on a common cause resulting in one (1) or more of the following: Failure of two (2) or more service types, or Failure of ten (10) access circuits, or Failure of 50 or more End-User VoIP service package or VoIP voice mail service (seat) Failure of a single MPLS port or access circuit with a transport speed greater than or equal to 200 Mbps 			
Measurement Process: The Outage Duration begins when a network alarm is received by the Contractor from an outage-causing event or the opening of a trouble ticket by a Customer, or the Contractor, whichever occurs first. The Contractor open a trouble ticket for each service (Circuit ID) affected by the common cause. Each End-User service is deemed out of service from the first notification until the Contractor determines End-User the service (Circuit ID) is restored, minus SCC. Any service reported by Customer as not having been restored shall have the outage time adjusted to the actual restoration time.			
Service(s):			
Converged VoIP Service (1.2.3.2)			
VoIP Voice Mail Service (1.2.3.5)	MPLS (1.2.2) (Includes 1.2.2.8.1 through1.2.2.8.7)		
Secure Gateway Managed Application Assurance (MAAS)			
Managed WAN (MWAN) Managed LAN (MLAN)			
Managed Video Conferencing			



Objective (s): The objective	: restoral time sha	all be:				
	Service	Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B, S or P)	
	MPLS	≤ 3 hours	≤2 hours	≤1 hour	Р	
	Secure Gateway			≤1 hour	Р	
	MAAS			≤1 hour	Р	
	MWAN			≤1 hour	Р	
	MLAN			≤1 hour	Р	
	Managed Video Conferencing			≤1 hour	Р	
	VoIP Voice Mail	≤ 3 hours	≤2 hours	≤1 hour	Р	
	Converged VoIP Service	≤ 8 hours	≤2 hours	≤1 hour	Р	
Rights and Remedies	Per Occurrence: 100 percent of the TMRC for each End-User service not meeting the committed objective for each CAT 1 fault					
	Monthly Aggregated Measurements: N/A					



1.2.9.8.3 Catastrophic Outage 2 (CAT 2) (M-S)

SLA Name: Catastrophic Outage 2 (CAT 2)

Definition:

Any service affecting failure in the Contractor's (or subcontractor's or Affiliate's) network up to and including the Provider Edge (PE) equipment.

Measurement Process: The Outage Duration begins when a network alarm is received by the Contractor from an outage-causing event or the opening of a trouble ticket by the Customer or Contractor, whichever occurs first. Upon notification from the Customer or network alarm, the Contractor shall compile a list for each End-User service affected by the common cause for tracking and reporting of the SLA rights and remedies. Outage Duration shall be measured on a per-End-User service (Circuit ID) basis from information recorded from the network equipment/system or Customer reported trouble ticket. Each End-User service (Circuit ID) is deemed out of service from the first notification until the Contractor determines the End-User service is restored. Any End-User service reported by the End-User/Customer as not having been restored shall have the outage time adjusted to the actual restoration time.

Service(s):

MPLS (1.2.2) (Includes 1.2.2.8.1 through1.2.2.8.7)	
Converged VoIP Service (1.2.3.2)	Audio Conferencing (1.2.4)
VoIP Voice Mail Service (1.2.3.5)	SIP Trunking (1.2.5)
Secure Gateway	Managed Application Assurance (MAAS)
Managed WAN (MWAN)	Managed LAN (MLAN)
Managed Video Conferencing	

Objective (s):

The objective restoral time shall be:

Service	Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B, S or P)
MPLS:	≤ 1 hour	≤ 30 minutes	≤ 15 minutes	Р
Secure Gateway			≤ 15 minutes	Р
MAAS			≤ 15 minutes	Р
MWAN			≤ 15 minutes	Р
MLAN			≤ 15 minutes	Р
Managed Video Conferencing			≤ 15 minutes	Р
Converged VoIP Service:	≤ 1 hour	≤ 30 minutes	≤ 15 minutes	Р
VoIP Voice Mail Service:	≤ 1 hour	≤ 30 minutes	≤ 15 minutes	Р
Aud o Conferencing:	≤ 1 hour	≤ 30 minutes	≤ 15 minutes	Р
SIP Trunking	≤ 1 hour	≤ 30 minutes	≤ 15 minutes	Р



Rights and Remedies	Per Occurrence: 100 percent of the TMRC and ten (10) Business Days of the ADUC (when applicable) for each End-User service not meeting the committed objective for each CAT 2 fault.
	Monthly Aggregated Measurements: N/A



1.2.9.8.3.1 VSAT Catastrophic Outage 2

SLA Name: VSAT Catastrophic Outage 2

Definition: Any component failure that results in loss of service to 15 or more sites.

Measurement Process:

The Outage Duration begins when a network alarm is received by the Contractor from a service impacting event or the opening of a trouble ticket by the Customer or Contractor, whichever occurs first. Upon notification from the Customer or network alarm, the Contractor shall compile a list for each End-User service affected by the common cause for tracking and reporting of the SLA rights and remedies. Outage Duration shall be measured on a per-End-User service (Circuit ID) basis from information recorded from the network equipment/system or Customer reported trouble ticket. Each End-User service (Circuit ID) is deemed out of service from the first notification until the Contractor determines the End-User service is restored. Any End-User service reported by the End-User/Customer as not having been restored shall have the outage time adjusted to the actual restoration time.

Service(s):

VSAT

Objectives:

The objective restoral time shall be less than12 hours

Rights and Remedies	Immediate Rights and Remedies 100 percent of the TMRC for each service not meeting the per occurrence objective for a single Cat 2 fault
	Monthly Rights and Remedies: N/A



1.2.9.8.4 Catastrophic Outage 3 (CAT 3) (M-S)


SLA Name: Catastrophic Outage 3 (CAT 3)

Definition: The total loss of more than one (1) CALNET 3 service type in a central office, or the loss of any service type on a system wide basis

Measurement Process: The Outage Duration begins when a network alarm is received by the Contractor from an outage-causing event or the opening of a trouble ticket by the Customer, whichever occurs first. Upon notification from the Customer or network alarm, the Contractor shall open a trouble ticket and compile a list of each End-User service (Circuit ID) affected by the common cause for tracking and reporting of the SLA rights and remedies. Outage Duration shall be measured on a per-End-User service (Circuit ID) basis from information recorded from the network switches or trouble ticket. Each End-User service (Circuit ID) is deemed out of service from the first notification until the Contractor determines service is restored. Any service reported by End-User/Customer as not having been restored shall have the outage time adjusted to the actual restoration time.

Service(s):

MPLS (1.2.2) (Includes 1.2.2.8.1 through1.2.2.8.7))	
Converged VoIP Service (1.2.3.2)	Converged VoIP Service (1.2.3.2)
Audio Conferencing (1.2.4)	Audio Conferencing (1.2.4)
Secure Gateway	Managed Application Assurance (MAAS)
Managed WAN (MWAN)	Managed LAN (MLAN)
Managed Video Conferencing	





Objective (s): The objective restoral time shall be:						
	Service	Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitmen t (B or P)	
	MPLS	≤ 30 minutes	N/A	≤ 15 minutes	Р	
	Secure Gateway			≤ 15 minutes	Р	
	MAAS			≤ 15 minutes	Р	
	MWAN			≤ 15 minutes	Р	
	MLAN			≤ 15 minutes	Р	
	Managed Video Conferencing			≤ 15 minutes	Р	
	Converged VoIP Service	≤ 30 minutes	N/A	≤ 15 minutes	Р	
	VoIP Voice Mail Service	≤ 30 minutes	N/A	≤ 15 minutes	Р	
	Audio Conferencing	≤ 30 minutes	N/A	≤ 15 minutes	Р	
	SIP Trunking	≤ 30 minutes	N/A	≤ 15 minutes	Р	
Remedies	Per Occurrence: 100 percent of the TMRC and ten (10) Business Days of the ADUC (when applicable) for each End-User service not meeting the committed occurrence objective for each Cat 3 fault.					
	Monthly Aggregated Measurements: N/A					



1.2.9.8.4.1 VSAT Catastrophic Outage 3 (M)

SLA Name: VSAT Catastrophic Outage 3

Definition: The total loss of any service type on a system wide basis.


Measurement Process: The Outage Duration begins when a network alarm is received by the Contractor from an outage-causing event or the opening of a trouble ticket by the Customer, whichever occurs first. Upon notification from the Customer or network alarm, the Contractor shall open a trouble ticket and compile a list of each End-User service (Circuit ID) affected by the common cause for tracking and reporting of the SLA rights and remedies. Outage Duration shall be measured on a per-End-User service (Circuit ID) basis from information recorded in the trouble ticket. Each End-User service (Circuit ID) is deemed out of service from the first notification until the Contractor determines service is restored. Any service reported by End-User/Customer as not having been restored shall have the outage time adjusted to the actual restoration time.

Service(s):

VSAT

Objectives: Less than 4 hours

Objectives. Less						
Rights and Remedies	Immediate Rights and Remedies 100 percent of the TMRC and ten (10) Business Days of the ADUC (when applicable) for each End-User service not meeting the committed occurrence objective for each Cat 3 fault.					
	Monthly Rights and Remedies: N/A					





1.2.9.8.5 Delay - Round Trip Transmission for MPLS Services (M-S)

SLA Name: Delay – Round Trip Transmission for MPLS Services

Definition: the average round trip transfer delay measured from the Customer Edge (CE) to the remote CE back to CE (Site A to Site Z to Site A) within the geographic confines of the state of California.

Measurement Process: The End-User/Customer is responsible for opening a trouble ticket with the Contractor's Customer Service Center (helpdesk) when the Customer suspects the delay is not meeting the committed level. CALNET 3 CMO shall determine the sample interval, provided that a minimum of 100 pings or more shall constitute test. The Contractor shall provide timely verification, consistent with industry standards. Trouble tickets opened as Delay – Round Trip Transmission for MPLS Services shall not count in availability or Time to Repair measurements unless and until the End-User reports service as unusable.

Service(s):

MPLS (1.2.2) (Includes 1.2.2.8.1 through1.2.2.8.7)

Secure Gateway

Managed Video Conferencing

Objective (s): based on a 1,000 byte ping:

Objective (s): Da	ised on a 1,000 byte	ping:			
		Service	Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (S or P)
		MPLS ≥ 128 Kbps to < 1.536 Mbps	N/A	<400ms	<340ms	Р
		MPLS ≥ 1.536 Mbps to < 40 Mbps	N/A	<120ms	<95ms	Р
		Secure Gateway ≥ 128 Kbps to < 1.536 Mbps			<340ms	Ρ
		Secure Gateway ≥ 1.536 Mbps to < 40 Mbps			<95ms	Р
		Secure Gateway ≥ 40 Mbps			<90ms	Р
		Managed Video Conferencing ≥ 128 Kbps to < 1.536 Mbps			<340ms	Р
		Managed Video Conferencing ≥ 1.536 Mbps to < 40 Mbps			<95ms	Р
		Managed Video Conferencing ≥ 40 Mbps			<90ms	Р
		MPLS ≥ 40 Mbps	N/A	<110ms	<90ms	Р
Rights	Per	Occurrence: N/A				



and Remedies	Monthly Aggregated Measurements: 25 percent of TMRC per occurrence for the reported service. The second consecutive month service fails to meet the committed SLA objectives shall result in a 35 percent rebate of TMRC.
	Each additional consecutive month service fails to meet the committed SLA objective shall result in a 50 percent rebate of the TMRC.



1.2.9.8.5.1 VSAT Service Network Packet Delivery / Transit Delay (D)

SLA Name: VSAT Service Network Packet Delivery / Transit Delay

Definition: Network Packet Delivery and Transit Delay are measured from the VSAT hub located at the Verizon Business teleport to the customer's VSAT modem and back to the VSAT hub.

Measurement Process:

The VSAT latency values are derived from samples collected within the Satellite Network Management System (NMS) every 20 seconds. They are aggregated to a 5 minute resolution for each individual circuit. Then for each VSAT circuit that is in primary or backup active traffic carrying mode (Not in backup / idle mode) within the network during each 5 minute period then the latency is aggregated to represent the overall network performance for that 5 minute period and then the five minute results are then averaged over the month to provide a monthly average.

Service(s):

VSAT

Objective(s):

Region	Antenna/BUC	Maximum	Network	Network
-	Size	Throughput	Transit Delay	Packet
			(round trip)	Delivery
			Milliseconds	(Greater or
			(Less or equal	equal to)
			to)	
CA	1.2m/3w	<= 512 Kbps	800	99%
	1.8m/3w			
CA	1.2m/4w	<= 1024 Kbps	800	99%
	1.8m/3w			
CA	1.2m/8W	<= 2048 Kbps	800	99%
	1.8m/4w			
	2.4m/4w			
CA	1.8m/6w	<= 3 Mbps	800	99%
	2.4m/6w			
CA	1.2m/16w	<= 4 Mbps	800	99%
	1.8m/8w			
	2.4m/8w			
s not apply for <1.2	2 Meter Antennas			

	Per Occurrence: N/A
Rights and Remedies	Monthly Aggregated Measurements: For each Month in which VzB fails to meet the Network Packet Delivery or Network Transit Delay SLA, customer us eligible for a credit equal to 1/30 th of the TMRC for the VSAT service.



1.2.9.8.6 VoIP Delay, One-Way Transmission (M-S)

SLA Name: VoIP Delay – One-Way Transmission

Definition: Average one-way transfer delay measured from Customer Equipment (CE) to the remote CE

Measurement Process: End-User/Customer is responsible for opening a trouble ticket with the Contractor's Customer Service Center (helpdesk) when the Customer suspects the VoIP delay is not meeting the committed level. The problem requires timely verification, consistent with industry Standards, by the Contractor. Tickets opened as VoIP Delay One-Way Transmission SLA shall not count in availability or Time to Repair measurements unless and until the End-User reports service as unusable.

Service(s):

Converged VoIP Service (1.2.3.2)

Objective (s):								
		Service	Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B, S or P)		
		Converged VoIP Service	≤ 170 ms	≤ 130 ms	≤ 90 ms	Р		
	Per Occurrence: N/A							
Rights	Monthly Aggregated Measurements: 25 percent of TMRC per occurrence for the reported service.							
and Remedies	The second month service fails to meet the committee SLA objectives shall result							



1.2.9.8.7 Excessive Outage (M-S)

SLA Name: Excessive Outage

Definition: A Service failure that remains unresolved for more than the committed objective,.

Measurement Process: This SLA is based on the trouble ticket Unavailable Time. The circuit or service is unusable during the time the trouble ticket is reported as opened until restoration of the service, minus SCC. If Customer reports a service failure as unresolved after the closure of the trouble ticket by the Contractor, the Unavailable Time shall be adjusted to the actual restoration time.

Service(s):

MPLS (1.2.2) (Includes 1.2.2.8.1 through1.2.2.8.7)	Audio Conferencing (1.2.4)
Converged VoIP Service (1.2.3.2)	SIP Trunking (1.2.5)
VoIP Voice Mail Service (1.2.3.5)	
Secure Gateway	Managed Application Assurance (MAAS)
Managed WAN (MWAN)	Managed LAN (MLAN)
Managed Video Conferencing	VSAT

Objective (s):

Objective (s):			1	1		
	Service	Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B, S or P)	
	MPLS	16 hours	12 hours	8 hours	Р	
	Secure Gateway			8 hours	Р	
	MAAS			8 hours	Р	
	MWAN			8 hours	Р	
	MLAN			8 hours	Р	
	Managed Video Conferencing			8 hours	Р	
	Converged VoIP Service	16 hours	12 hours	8 hours	Р	
	VoIP Voice Mail Service	16 hours	12 hours	8 hours	Р	
	Audio Conferencing	16 hours	12 hours	8 hours	Р	
	SIP Trunking	16 hours	12 hours	8 hours	Р	
	VSAT	48 hours				
Rights and Remedies	Per Occurrence: 100 percent of the TMRC and ten (10) Business Days of the ADUC (when applicable) per occurrence for each service (Circuit ID) out of service for a period greater than the committed objective level. Upon request from the Customer or the CALNET 3 CMO, the Contractor shall					
	provide a briefing on	the excess	ive outage res	storation.		
	Monthly Aggregated Measurements: N/A					

March 28, 2016



1.2.9.8.8 Jitter (M-S)

SLA Name: Jitter

Definition: Variations in transfer delay measured from the Customer Edge (CE) to the remote CE

Measurement Process: End-User/Customer is responsible for opening a trouble ticket with the Contractor's Customer Service Center (helpdesk) when the Jitter exceeds the committed level. The problem requires timely verification, consistent with industry Standards, by the Contractor. Tickets identified as a jitter issue shall not count in availability or Time-to-Repair measurements unless and until the End-User reports service as unusable for its intended uses. This measurement applies to local loop transport (1) under the control of the Contractor or (2) not under the control of Contractor that do not exceed 70% peak utilization for three (3) consecutive Business Days.

Service(s):

Converged VoIP Service (1.2.3.2)

Objective (s):

Objective (S).			Objective (S).							
	Service	Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B or S)					
	Converged VoIP Service	≤ 30ms	≤ 15ms	N/A	S					
Rights and RemediesPer Occurrence: 25 percent of TMRC and two (2) Business Days of the ADUC per occurrence for the reported service. Second month service fails to meet the committed SLA objectives shall result in a 35 percent rebate of TMRC and two (2) Business Days of ADUC. Each additional consecutive month service fails to meet the committed SLA objective shall result in a 50 percent rebate of the TMRC and two (2) Business Days of the ADUC.										
	Monthly Aggregated Measurements: N/A									



1.2.9.8.9 Notification

SLA Name: Notification

Definition: The Contractor notification to CALNET 3 CMO and designated stakeholders in the event of a CAT 2 or CAT 3 failure, terrorist activity, threat of natural disaster, or actual natural disaster which results in a significant loss of telecommunication services to CALNET 3 End-Users or has the potential to impact services in a general or statewide area. The State understands initial information requiring the nature of the outage may be limited.

Measurement Process: The Contractor shall adhere to the Network Outage Response requirements (IFB-A Business Requirements Section A.3.3) and notify the CALNET 3 CMO and designated stakeholders for all CAT 2 and CAT 3 Outages or for network outages resulting in a significant loss of service. Notification objectives will be based on the start time of the outage failure determined by the opening of a trouble ticket or network alarm, whichever occurs first. For events based on information such as terrorist activity or threat of natural disaster, the Contractor shall notify CALNET 3 CMO and designated stakeholder when information is available for dissemination to Customers.


Service(s): All services

Objective (s): Within 60 minutes of the above mentioned failures' start time, the Contractor shall notify CALNET 3 CMO and designated stakeholders using a method defined in IFB-A Business Requirements Section A.3.3 (Network Outage Response).

At 60 minute intervals, updates shall be given on the above mentioned failures via the method defined in IFB-A Business Requirements Section A.3.3 (Network Outage Response).

This objective is the same for Basic, Standard and Premium commitments

Rights and	Per Occurrence: Senior Management Escalation
Remedies	Monthly Aggregated Measurements: N/A





1.2.9.8.10 Packet Loss (M-S)

SLA Name: Packet Loss

Definition: A measurement of lost or dropped packet traveling across the Contractor's, Affiliate's or Subcontractor's network. Packet loss is measured from Contractor's handoff to the Customer at each end of the data channel measured port to port.


Measurement Process: End-User/Customer is responsible for opening a trouble ticket with the Contractor's Customer Service Center (helpdesk) when the data loss exceeds the committed level. The problem requires timely verification, consistent with industry standards, by the Contractor. Tickets identified as a packet loss issue shall not count in availability or Time-to-Repair measurements unless and until the End-User reports service as unusable for its intended uses.

This measurement includes the local loop transport under the control of the Contractor and any local loops acquired from a third party by the Contractor .

Service(s):	
MPLS (1.2.2) (Includes 1.2.2.8.1 through1.2.2.8.7)	Secure Gateway
Converged VoIP Service (1.2.3.2)	Managed Video Conferencing

Objective (s):

Objective (3)	•					1		
	Service	Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B, S or P)			
	MPLS	≤ .75% packet loss	≤ .5% packet loss	≤ .25% packet loss	Р			
	Secure Gateway			≤ .25% packet loss	Р			
	Managed Video Conferencing			≤ .25% packet loss	Р			
	Converged VoIP Service	≤ .75% packet loss	≤ .5% packet loss	≤ .25% packet loss	Р			
Per Occurrence: 25 percent of TMRC per occurrence for the reported service								
Rights and Remedies	Next consecutive month to fail to meet the committed SLA objectives shall result in a 35 percent rebate of TMRC.							
	Each additional consecutive month to fail to meet the committed SLA objective shall result in a 50 percent rebate of the TMRC.							
	Monthly Aggregated Measurements: N/A							





1.2.9.8.11 Provisioning (M-S)

SLA Name: Provisioning

Definition: Provisioning shall include new services, moves, adds and changes, completed by the Contractor on or before the due dates. The Provisioning SLA shall be based on committed installation intervals established in this SLA or due dates negotiated between Customer and Contractor documented on the Contractor's order confirmation notification or Contracted Service Project Work Scope of Work in accordance with Section A.2.5.4 #7 (Provisioning and Implementation). The Contractor shall meet the committed interval dates or due date negotiated with the Customer. If the Customer agrees to a negotiated due date, the negotiated due date supersedes the committed interval. At the Customer's discretion, if the scope of the Service Requests(s) meets the Coordinated or Managed Project criteria, negotiated due dates will be established and documented in the Project Timeline per IFB-A Business Requirements Section A.6 (Contracted Service Project Work).						
Provisioning SLAs have two (2) objectives:						
Objective 1: Individual Service Request						
Objective 2: Successful Install Monthly Percer	ntage by Service T	уре				
Note: Provisioning timelines include extended	demarcation wirir	ng, when appropriate.				
Measurement Process:						
Objective 1: Individual Service Request: Instal intervals established in this SLA or due dates objective requires the Contractor to meet the c	negotiated betwee	en Customer and Contractor. This				
<u>Objective 2: Successful Install Monthly Percentage per Service Type:</u> The Contractor shall sum all individual Service Requests per service, as listed below, meeting the objective in the measurement period (per month) and divide by the sum of all individual Service Requests due per service in the measurement period and multiply by 100 to equal the percentage of Service Requests installed on time. The Contractor must meet or exceed the objective below in order to avoid the rights and remedies						
		the percentage of Service				
Requests installed on time. The Contractor m		the percentage of Service				
Requests installed on time. The Contractor m avoid the rights and remedies. Service (Features must be installed in conjunction with the service except when	Committed Interval Calendar	the percentage of Service ed the objective below in order to				
Requests installed on time. The Contractor m avoid the rights and remedies. Service (Features must be installed in conjunction with the service except when listed below)	Committed Interval Calendar Days	the percentage of Service ed the objective below in order to Coordinated/Managed Project				
Requests installed on time. The Contractor m avoid the rights and remedies. Service (Features must be installed in conjunction with the service except when listed below) MPLS Port Transport (1.2.2.8.1) MPLS Port and Access Bundle Transport	Committed Interval Calendar Days 35	the percentage of Service ed the objective below in order to Coordinated/Managed Project Coordinated/Managed Project				
Requests installed on time. The Contractor m avoid the rights and remedies. Service (Features must be installed in conjunction with the service except when listed below) MPLS Port Transport (1.2.2.8.1) MPLS Port and Access Bundle Transport (1.2.2.8.2) MPLS Port, Access and Router Transport	Committed Interval Calendar Days 35 35	the percentage of Service ed the objective below in order to Coordinated/Managed Project Coordinated/Managed Project Coordinated/Managed Project				
Requests installed on time. The Contractor m avoid the rights and remedies. Service (Features must be installed in conjunction with the service except when listed below) MPLS Port Transport (1.2.2.8.1) MPLS Port and Access Bundle Transport (1.2.2.8.2) MPLS Port, Access and Router Transport (1.2.2.8.3) MPLS Port, Access and Router Bundled On-	Committed Interval Calendar Days 35 35 45	the percentage of Service ed the objective below in order to Coordinated/Managed Project Coordinated/Managed Project Coordinated/Managed Project Coordinated/Managed Project				
Requests installed on time. The Contractor m avoid the rights and remedies. Service (Features must be installed in conjunction with the service except when listed below) MPLS Port Transport (1.2.2.8.1) MPLS Port and Access Bundle Transport (1.2.2.8.2) MPLS Port, Access and Router Transport (1.2.2.8.3) MPLS Port, Access and Router Bundled On- Net Transport Speeds (1.2.2.8.4) MPLS Port, Access and Router Bundled Off-	Committed Interval Calendar Days 35 35 45 45	the percentage of Service ed the objective below in order to Coordinated/Managed Project Coordinated/Managed Project Coordinated/Managed Project Coordinated/Managed Project				
Requests installed on time. The Contractor m avoid the rights and remedies. Service (Features must be installed in conjunction with the service except when listed below) MPLS Port Transport (1.2.2.8.1) MPLS Port and Access Bundle Transport (1.2.2.8.2) MPLS Port, Access and Router Transport (1.2.2.8.3) MPLS Port, Access and Router Bundled On- Net Transport Speeds (1.2.2.8.4) MPLS Port, Access and Router Bundled Off- Net Transport Speeds (1.2.2.8.5) MPLS Port, Access and Router Bundled Off- Net Transport Speeds (1.2.2.8.5)	Committed Interval Calendar Days 35 35 45 45 45 45	the percentage of Service ed the objective below in order to Coordinated/Managed Project Coordinated/Managed Project Coordinated/Managed Project Coordinated/Managed Project Coordinated/Managed Project				





VoIP Voice Mail Services (1.2.3.5)	30	Coordinated/Managed Project
Audio Conferencing (1.2.4)	30	Coordinated/Managed Project
SIP Trunking (1.2.5)	35	Coordinated/Managed Project
Secure Gateway	Managed Project	Coordinated/Managed Project
Managed Application Assurance (MAAS)	Managed Project	Coordinated/Managed Project
Managed WAN (MWAN)	45	Coordinated/Managed Project
Managed LAN (MLAN)	45	Coordinated/Managed Project
Managed Video Conferencing	Managed Project	Coordinated/Managed Project
VSAT	Managed Project	Coordinated/Managed Project



Objective (s):

Individual Service Requests: Service installed on or before the committed or negotiated due date. Successful Install Monthly Percentage per Service:

Service		Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B, S or P)
MPLS Po	rt Transport:	N/A	≥ 90%	≥ 95%	Р
MPLS Po Transport	rt and Access Bundle	N/A	≥ 90%	≥ 95%	Р
MPLS Po Transport	rt, Access and Router	N/A	≥ 90%	≥ 95%	Р
Converge	ed VoIP Service:	N/A	≥ 90%	≥ 95%	Р
VoIP Void	ce Mail Service:	N/A	≥ 90%	≥ 95%	Р
Audio Co	nferencing:	N/A	≥ 90%	≥ 95%	Р
SIP Trun	king	N/A	≥ 90%	≥ 95%	Р
	rt, Access and Router On-Net Transport Speeds	N/A	≥ 90%	≥ 95%	Р
	rt, Access and Router Off-Net Transport Speeds	N/A	≥ 90%	≥ 95%	Р
	MPLS Port, Access and Router Bundled Ethernet On-Net Transport		≥ 90%	≥ 95%	Р
	MPLS Port, Access and Router Bundled Ethernet Off-Net Transport		≥ 90%	≥ 95%	Р
Secure	Secure Gateway			≥ 95%	Р
	Managed Application Assurance (MAAS)			≥ 95%	Р
Manage	Managed WAN (MWAN)			≥ 95%	Р
Manage	ed LAN (MLAN)			≥ 95%	Р
	Managed Video Conferencing			≥ 95%	Р
VSAT	VSAT			≥ 95%	Р
<u> </u>	Per Occurrence: Objective 1: Individua Customer for any mis				stallation fee credit
Ints and medies Monthly Aggregated Measurements: Objective 2: 100 percent of the installation fee credited to Customer for all Requests (per same service type) that did not complete on time during the the successful install monthly percentage is below the committed objective					n time during the m

verizon

1.2.9.8.12 Time to Repair (TTR) (M-S)

SLA Name: Time to Repair (TTR)

Definition: A service outage that remains unresolved for more than the objective level.

Measurement Process: This SLA is based on trouble ticket Unavailable Time. The circuit or service is unusable during the time the trouble ticket is reported as opened until restoration of the service, minus SCC. If Customer reports a service failure as unresolved after the closure of the trouble ticket by the Contractor, the Unavailable Time shall be adjusted to the actual restoration time. This SLA is applied per occurrence.

Service(s):


MPLS (1.2.2) (Includes 1.2.2.8.1 through1.2.2.8.7)	
Converged VoIP Service (1.2.3.2)	Audio Conferencing (1.2.4)
VoIP Voice Mail Service (1.2.3.5)	SIP Trunking (1.2.5)
Secure Gateway	Managed Application Assurance (MAAS)
Managed WAN (MWAN)	Managed LAN (MLAN)
Managad Video Conferencing	

Managed Video Conferencing

Objective (s):

The Unavailable Time objective shall not exceed:

	Service	Basic (B)	Standard (S)	Premier (P)	Bidders Objective Commitment (B or S)		
	MPLS:	6 hours	4 hours	N/A	S		
	Secure Gateway		4 hours		S		
	MAAS		4 hours		S		
	MWAN		4 hours		S		
	MLAN		4 hours		S		
	Managed Video Conferencing		4 hours		S		
	Converged VoIP Service:	8 hours	4 hours	N/A	S		
	VoIP Voice Mail Service:	6 hours	4 hours	N/A	S		
	Audio Conferencing:	6 hours	4 hours	N/A	S		
	SIP Trunking	6 hours	4 hours	N/A	S		
Rights and Remedies	Per Occurrence: 25 percent of the TMRC three (3) Business Days ADUC, when applicable per occurrence for each service (Circuit ID) out of service for a period greater than the committed objective level.						
	Monthly Aggregated Measurements: N/A						





1.2.9.8.13 Managed Service Proactive Notification

SLA Name: Managed Service Proactive Notification

Definition: The proactive outage notification SLA provides credits if the Contractor fails to open a trouble ticket and notify Customer of an Outage for a managed service. Notification to the Customer shall occur through means agreed to by Contractor and CALNET 3 CMO.

An Outage is defined as an unscheduled period in which the managed service interrupted and unavailable for use by Customer for 60 continuous seconds or more than 60 cumulative seconds within a 15-minute period measured by the Contractor.

Measurement Process: The Outage Duration start shall be determined by the first Contractor network alarm resulting from the outage-causing event or the opening of a trouble ticket by the Customer, whichever occurs first. The Contractor has fifteen (15) minutes (Notification Period) to open a trouble ticket and notify the Customer from the start point of the first network alarm. The Contractor is in compliance with the proactive outage notification SLA if the Customer opened the trouble ticket prior to the network alarm or Customer is notified by the Contractor within the Notification Period.

Service(s):

MPLS Port, Access and Router Bundled Transport Speeds (Section 1.2.2.8.3)

MPLS Port, Access and Router Bundled On-Net Transport Speeds (Section 1.2.2.8.4)

MPLS Port, Access and Router Bundled Off-Net Transport Speeds (Section 1.2.2.8.5)

MPLS Port, Access and Router Bundled Ethernet On-Net Transport Speeds (Section 1.2.2.8.6)

MPLS Port, Access and Router Bundled Ethernet Off-Net Transport Speeds (Section 1.2.2.8.6)


Managed WAN (MWAN)

Managed LAN (MLAN)

VSAT (Except Quick Deploy / Auto-Pointing Systems)

Objective (s): 15 Minutes

Rights and Remedies	Per Occurrence: Customer will receive a credit equal to ten percent (10%) of the TMRC for each Contractor Managed Service (Circuit ID) that was impacted during an outage if the Customer was not proactively notified within the notification period.
	Monthly Aggregated Measurements: N/A





1.2.9.8.14 Excessive Usage of Site Survivability Network Failure Service (M-S)

SLA Name: Excessive Usage of Site Survivability Network Failure Service

Definition: The usage of Site Survivability Network Failure Service shall not exceed the objective commitment identified below in a month, per site.							
Measurement Process: The monthly usage duration shall be based on the accumulated total of all service activation events during a given month. A service usage event shall begin from alarm or activation of service and ending when a Site Survivability Network Failure Service resumes to a standby state and no traffic traverses the PSTN on the back-up circuit.							
•		Objective(s):	Basic (B)	Standard (S)	Premier (P)	Bidder's Objective Commitment (B, S or P)	
Failure	inty Network	Converged VoIP Site Survivability Network Failure	240 hours	120 hours	72 hours	Р	
	Per Occurren	ice: N/A					
	Monthly Aggregated Measurements: First month the service fails to meet the committed SLA objective shall result in 15 percent rebate of the TMRC and two (2) Business Days of the ADUC of all usage charges as a result of the activation of the Site Survivability Network Failure Service.						
Rights and RemediesThe second consecutive month the service fails to meet the committed SL objective shall result in a 30 percent rebate of TMRC and five (5) Business of ADUC of all usage charges as a result of the activation of Site Survivab Network Failure Service.						usiness Days	
	Each additional consecutive month the service fails to meet the Committed SLA objective shall result in a 50 percent rebate of the TMRC, and ten (10) Business Days of the ADUC of all usage charges as a result of the activation of Site Survivability Network Failure Service.						

